

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.01.2018 Revision: 25.01.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: ACRYLCOLOR

· Article number: CAC

· 1.2 Relevant identified uses of the substance or mixture and uses advised against Water-based dispersion coating ACRYLCOLOR, CAC. Acrylic façade paint.

· Life cycle stages C Consumer use

PW Widespread use by professional workers

· Sector of Use

SU19 Building and construction work

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Product category

PC9a Coatings and paints, thinners, paint removers

The product ACRYLCOLOR is a facade paint and bases on the water dispersion of acrylic polymeric binders.

- · Process category PROC10 Roller application or brushing
- · Environmental release category ERC10a Widespread use of articles with low release (outdoor)
- · Application of the substance / the mixture

Dispersion paint/ Latex paint

The coating ACRYLCOLOR is suitable for protection of firm, plain smooth or solid, smooth or polished or finely and evenly textured facade surfaces that are free of cracks in the wall surface.

The ACRYLCOLOR is distinguished by high water resistance and good coverage. The colour film excellently grasps the foundation and is resistant to the effects of smoke gases, UV rays and other atmospherilia; therefore it is stable under all climatic conditions, including heavily exposed surfaces of tall objects exposed to precipitation.

The colouring features are distinguished by relatively low content of volatile organic compounds. The coating is easily applied and a large number of pastel shades are available in the tinting systems.

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

JUB d.o.o.

Dol pri Ljubljani 28

1262 DOL PRI LJUBLJANI

SLOVENIA

T: + 386 1 5884 183

F: + 386 1 5884 250

E: info@jub.si

· Further information obtainable from:

TRC JUB

Branko Petrovic, MSc

T: +386 1 5884 185

F: +386 1 5884 227

E: branko.petrovic@jub.eu

· 1.4 Emergency telephone number:

Emergency number: 112

United Kindom: NPIS 0870 600 6266

GE

Printing date 29.01.2018 Revision: 25.01.2018

Trade name: ACRYLCOLOR

(Contd. of page 1)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

The product is classified as a dangerous mixture for the aquatic life in accordance with the regulation on classification of chemicals, obliged to the Regulation CLP 2008/1272/EC. Potentially can cause an allergic

· Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Void
- · Signal word Void

· Hazard-determining components of labelling:

Pyrithione zinc

· Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P103 Read label before use.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P332+P313 If skin irritation occurs: Get medical advice/attention. P402+P404 Store in a dry place. Store in a closed container.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4isothiazolin-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one, 2methyl-2H-isothiazol-3-one. May produce an allergic reaction.

Safety data sheet available on request.

The product is treated in accordance with Regulation EU / 528/2012, Art. 58th.

In-can protection in the container is enabled due to the content of active ingredients: methyl-isothiazolin, benz-isothiazolin, zinc pyrithion, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4isothiazolin-3-one (3:1)

Algicidal and fungicidal in-film protection of layer is provided by the content of Terbutryn, Zinc pyrithione and 2-octyl-2Hisothiasol-3-on.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

Main components of the product ACRYLCOLOR are emulsions which base on acrylic polymeric binders, fine calcite and alluminosilicate fillers, titanium dioxide, cellulose thickeners and water.

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
	2-(2-butoxyethoxy)ethanol	< 1.0%
EINECS: 203-961-6	♦ Eye Irrit. 2, H319	
	(C	ontd. on page 3)

Printing date 29.01.2018 Revision: 25.01.2018

Trade name: ACRYLCOLOR

		Contd. of page 2
CAS: 13463-41-7	Pyrithione zinc	< 0.05%
EINECS: 236-671-3	Acute Tox. 3, H301; Acute Tox. 3, H331; 🎨 Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	< 0.02%
EINECS: 220-120-9		
CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one	< 0.015%
EINECS: 247-761-7	Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Sens. 1, H317	
	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	< 0.0005%
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	
CAS: 1314-13-2	zinc oxide	< 0.02%
EINECS: 215-222-5	🕸 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 1310-73-2	sodium hydroxide	< 0.2%
EINECS: 215-185-5	🔷 Skin Corr. 1A, H314	

· Additional information:

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

In case of gas release or seepage into the ground inform responsible authorities.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Printing date 29.01.2018 Revision: 25.01.2018

Trade name: ACRYLCOLOR

See Section 13 for disposal information.

(Contd. of page 3)

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility:

Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.

- · Further information about storage conditions: Protect from frost.
- · Storage class: Storage class: 12 Incombustible products
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

1310-73-2 sodium hydroxide (0.2%)

WEL Short-term value: 2 mg/m³

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) (0.0005%)

WEL Long-term value: 0.05 mg/m3

2682-20-4 2-methyl-2H-isothiazol-3-one (0.01%)

WEL Long-term value: 0.05 mg/m3

26530-20-1 2-octyl-2H-isothiazol-3-one (0.015%)

WEL Long-term value: 0.05 mg/m3

1314-13-2 zinc oxide (0.02%)

WEL Long-term value: 0.05 mg/m3

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Printing date 29.01.2018 Revision: 25.01.2018

Trade name: ACRYLCOLOR

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling
- · Risk management measures

It is recommended to use high-quality work clothing and protective equipment. Use only outfits that meet the following standards:

- Protective gloves that meet the criteria of BS EN 374.
- Protective goggles must comply with standard BS EN 166.
- Protective mask respirator for fine dust particles and vapors should be in accordance with BS EN 143 (full face masks), BS EN 149 (dust particle filters), BS 14387 (filters for gases and combined filters)

9.1 Information on basic physical and	chemical properties
General Information	• •
Appearance:	
Form:	Pasty
Colour:	Different according to colouring
Odour: Odour threshold:	Mild Not determined.
pH-value at 20 °C:	8,5
Change in condition	Undersonine d
Melting point/freezing point: Initial boiling point and boiling rang	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1,58 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

(Contd. on page 6)

Printing date 29.01.2018 Revision: 25.01.2018

Trade name: ACRYLCOLOR

	(Contd. of page
VOC (EC)	1.00 % The content of VOC: ACRYLCOLOR max. 20 g/L VOC In accordance with the Directive 2004/42/EC the products is a coating of category A/c. EU VOC (cat. A/c) 40 g/l (2010)
Solids content: · 9.2 Other information	68,0 % No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

oral. > 2000 mg/kg (rat) dermal. > 2000 mg/kg(rat)

inhal. > 2 mg/kg, 4h (rat)

112-34-	112-34-5 2-(2-butoxyethoxy)ethanol	
		5660 mg/kg (rat)
Dermal	LD50	4000 mg/kg (rabbit)
1310-73	1310-73-2 sodium hydroxide	
Oral	LD50	2000 mg/kg (rat)
1314-13-2 zinc oxide		
Oral	LD50	>5,000 mg/kg (rat)

Zinc pyrithione (CAS: 13463-41-7)
Oral LD50: 269 mg / kg (rat)
Dermal LD50: < 2000 mg / kg (rat)
Inhalation LC50: < 2000 mg / m3 / 4h (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- $\cdot \textit{Carcinogenicity Based on available data, the classification criteria\ are\ not\ met.}$
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

GB

Printing date 29.01.2018 Revision: 25.01.2018

Trade name: ACRYLCOLOR

(Contd. of page 6)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

Terbutryn - CAS 886-50-0

Acute EC50 0.013 mg / L Algae - Selenastrum capricornutum; 168 hours

Acute EC50 2.66 mg / L Daphnia; 48 hours

Acute LC50 1.3 mg / l Fish - Lepomis machrochiris; 96 hours

Acute LC50 1.1 mg/L Fish; 96 hours

Acute LC50> 1000 mg / l Microorganism; 3 hours

Chronic NOEC 1.3 mg / l Daphnia - Daphnia magna; 21 days Chronic NOEC 0.84 mg / l Fish - Fathead minnow; 35 days Chronic NOEC 0.01 mg / l Fish - Rainbow trout; 21 days

2-octyl-2H-isothiazol-3-one (CAS: 26530-20-1)

EC20 / 0.5h - 10.4 mg / l (active sludge)

EC20 / 3h - 7.3 mg / l (active sludge)

Zinc pyrithione (CAS: 13463-41-7)

Acute EC50: 0,028 mg / l - Selenastrum capricornutum

Acute LC50: 0.082 mg/l - Daphnia magna

.....

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- $\cdot \ \textbf{12.6 Other adverse effects} \ \textit{No further relevant information available}.$

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue	
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
	other construction and demolition wastes (including mixed wastes) containing hazardous substances
15 01 02	plastic packaging

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

G.F.

Printing date 29.01.2018 Revision: 25.01.2018

Trade name: ACRYLCOLOR

(Contd. of page 7)

· 14.1 UN-Number	The product ACRYLCOLOR is not a substance or mixtur
	classified in accordance with the provisions of ADR as dangerous for transport.
· ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name	
· ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	Void
· 14.4 Packing group	
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	-
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Following regulation was considered in the preparation of document:

Legislation on the occupational health and safety, the chemical legislation and regulations on biocidal products, regulations on classification, packaging and labeling of chemical and biocidal products and requirements on safety data sheets for chemicals and biocidal products composition, as well as regulations on the management of packaging and packaging waste and waste.

In accordance with the current regulation the product is classified as a dangerous substance or mixture for the environment. It potentially can cause an allergic reaction.

General safety measures should be considered when working or handling with the product.

- · Labelling according to Regulation (EC) No 1272/2008 -
- · Chemical safety assessment -
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category -
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin.

(Contd. on page 9)

Printing date 29.01.2018 Revision: 25.01.2018

Trade name: ACRYLCOLOR

(Contd. of page 8)

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Recommended restriction of use

Claims contained in this document are based on our actual knowledge at the time of revision of this document. They do not undertake the properties of the product described in terms of the legal provisions for the pledge.

Placing this document as available does not unbind the product customer from its responsibility to comply with all relevant laws and regulations applicable for this product. This is especially valid in the case of product resale or resale of its mixtures or manufactured products from other areas of law and industrial property rights of third parties. If the product described above is changed by crafting or mixing with other materials, it is not possible to transfer claims from this document onto a newly made product, unless otherwise specified. In the case of product re-packaging the customer must attach the required relevant safety information as well.

· Department issuing SDS:

JUB d.o.o.

Product safety department

· Contact:

Branko Petrovič, MSci

TRC-JUB

branko.petrovic@jub.eu

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

 $Aquatic\ Acute\ 1:\ Hazardous\ to\ the\ aquatic\ environment\ -\ acute\ aquatic\ hazard\ -\ Category\ 1$

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.

Version 1.0, 13.04.2016.

Version 2.0, 25.01.2018; Amending Chapter: 1.,2.,3.,8.,12.,15.,16.