

Page 1/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.01.2018 Revision: 25.01.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: TRENDCOLOR

· Article number: CTR

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

Water-based dispersion coating TRENDCOLOR, CTR.

· Life cycle stages

PW Widespread use by professional workers

C Consumer use

· Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU19 Building and construction work

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Product category

PC9a Coatings and paints, thinners, paint removers

Product TRENDCOLOR is a siloxanised facade paint with a micro-barrier effect.

- · Process category PROC10 Roller application or brushing
- · Environmental release category ERC10a Widespread use of articles with low release (outdoor)
- · Application of the substance / the mixture

Dispersion paint/ Latex paint

Trendcolor is a siloxanised facade paint for intensive shades with a micro-barrier effect. It is made on the basis of the aqueous dispersion of polymeric binders.

It is suitable for the decorative protection of all types of solid surfaces (at least one month old limestone and cement plasters, at least one month old uncoated concrete facade surface, fibreocene and similar façade slabs, etc.).

The surfaces painted with Trendcolor are long resistant to infection with the most common types of wall algae and molds.

### · 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

JUB d.o.o.

Dol pri Ljubljani 28

1262 DOL PRI LJUBLJANI

SLOVENIA

T: + 386 1 5884 183

F: + 386 1 5884 250

E: info@jub.si

· Further information obtainable from:

TRC JUB

Branko Petrovic, MSc

T: +386 1 5884 185

F: +386 1 5884 227

E: branko.petrovic@jub.eu

· 1.4 Emergency telephone number:

Emergency number: 112

United Kindom: NPIS 0870 600 6266

GB

Printing date 29.01.2018 Revision: 25.01.2018

Trade name: TRENDCOLOR

(Contd. of page 1)

## SECTION 2: Hazards identification

#### · 2.1 Classification of the substance or mixture

The product is classified as a dangerous mixture for the aquatic life in accordance with the regulation on classification of chemicals, obliged to the Regulation CLP 2008/1272/EC. Potentially can cause an allergic reaction.

· Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

#### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Void
- · Signal word Void

#### · Hazard-determining components of labelling:

terbutryn

#### · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P103 Read label before use.

*P273 Avoid release to the environment.* 

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P402+P404 Store in a dry place. Store in a closed container.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · Additional information:

Contains 2-octyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Safety data sheet available on request.

The product is treated in accordance with Regulation EU / 528/2012, Art. 58th.

In-can protection in the container is enabled due to the content of active ingredients: methyl-isothiazolin, benz-isothiazolin, zinc pyrithion, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one (3:1)

Algicidal and fungicidal in-film protection of layer is provided by the content of Terbutryn, Zinc pyrithione and 2-octyl-2Hisothiasol-3-on.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

### · 3.2 Chemical characterisation: Mixtures

Main components of the product TRENDCOLOR are emulsions which base on acrylic polymeric binders, microfibres, fine calcite and alluminosilicate fillers, titanium dioxide, cellulose thickeners and water.

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
	2-(2-butoxyethoxy)ethanol	< 1.0%		
EINECS: 203-961-6	<b>♦</b> Eye Irrit. 2, H319			

(Contd. on page 3)

Printing date 29.01.2018 Revision: 25.01.2018

Trade name: TRENDCOLOR

CAS: 886-50-0	tauhutuva	(Contd. of page < 0.075 (0.0075)
EINECS: 212-950-5	terbutryn �� Aquatic Acute 1, H400; Aquatic Chronic 1, H410; �� Acute Tox. 4, H302	(0.0073)
CAS: 13463-41-7 EINECS: 236-671-3	Pyrithione zinc Acute Tox. 3, H301; Acute Tox. 3, H331; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	< 0.04 (0.008)%
CAS: 26530-20-1 EINECS: 247-761-7	2-octyl-2H-isothiazol-3-one  Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Sens. 1, H317	< 0.04 (0.004)%
CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; ♦ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	< 0.02%
	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	< 0.0005%
CAS: 2682-20-4 EINECS: 220-239-6	2-methyl-2H-isothiazol-3-one  Acute Tox. 3, H301; Acute Tox. 3, H311; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Skin Sens. 1, H317	< 0.01%
CAS: 1314-13-2 EINECS: 215-222-5	zinc oxide  Aquatic Acute 1, H400; Aquatic Chronic 1, H410	< 0.04%
CAS: 1310-73-2 EINECS: 215-185-5	sodium hydroxide  Skin Corr. 1A, H314	< 0.1%

### · Additional information:

For the wording of the listed hazard phrases refer to section 16.

Classification and labelling of the product is prepared in accordance with the instructions of the supplier of biocidal active ingredients or biocide products.

The technology of protection active ingredients (AMME - Advanced Micro Matrix Embedding) allows changing of the classification of chemicals and this resulting in different labelling of products containing processed substances.

The total content and the content of free terbutryn are indicated. Only the content of free terbutryn is toxicological relevant and is subject to the classification of this mixture regarding the following properties: environmental hazardous properties, sensitisation.

The total content and the content of free 2-octyl-2H-isothiazol-3-one (OIT) are indicated. Only the content of free OIT is toxicological relevant and is subject to the classification of this mixture regarding the following properties: environmental hazardous properties, skin and eye irritation, sensitisation.

The total content and the content of free zinc pyrithione (ZnPy) are indicated. Only the content of free ZnPy is toxicological relevant and is subject to the classification of this mixture regarding the following properties: environmental hazardous properties, skin and eye irritation.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

(Contd. on page 4)

Printing date 29.01.2018 Revision: 25.01.2018

Trade name: TRENDCOLOR

(Contd. of page 3)

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

In case of gas release or seepage into the ground inform responsible authorities.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility:

Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.

- · Further information about storage conditions: Protect from frost.
- · Storage class: Storage class: 12 Incombustible products
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

1310-73-2 sodium hydroxide (0.1%)

WEL Short-term value: 2 mg/m<sup>3</sup>

(Contd. on page 5)

Printing date 29.01.2018 Revision: 25.01.2018

Trade name: TRENDCOLOR

(Contd. of page 4)

1314-13-2 zinc oxide (0.04%)

WEL Long-term value: 5 mg/m3

26530-20-1 2-octyl-2H-isothiazol-3-one (0.04%)

WEL Long-term value: 0.05 mg/m3

2682-20-4 2-methyl-2H-isothiazol-3-one (0.01%)

WEL Long-term value: 0.05 mg/m3

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) (0.0005%)

WEL Long-term value: 0.05 mg/m3

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling
- · Risk management measures

It is recommended to use high-quality work clothing and protective equipment. Use only outfits that meet the following standards:

- Protective gloves that meet the criteria of BS EN 374.
- Protective goggles must comply with standard BS EN 166.
- Protective mask respirator for fine dust particles and vapors should be in accordance with BS EN 143 (full face masks), BS EN 149 (dust particle filters), BS 14387 (filters for gases and combined filters)

## SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Pasty

Colour: Different according to colouring

· Odour: Mild

(Contd. on page 6)

Printing date 29.01.2018 Revision: 25.01.2018

Trade name: TRENDCOLOR

	(Contd. of pag
Odour threshold:	Not determined.
pH-value at 20 °C:	9
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	v: >100 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1,52 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	1,0 %
VOC (EC)	1.00 %
	The content of VOC: TRENDLCOLOR max. 15 g/L VOC
	In accordance with the Directive 2004/42/EC the products is a
	coating of category A/c. EU VOC (cat. A/c) 40 g/l (2010)
Solids content:	65,0 %
9.2 Other information	No further relevant information available.

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

(Contd. of page 6)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.01.2018 Revision: 25.01.2018

Trade name: TRENDCOLOR

· LD/LC50 values relevant for classification:

-----

oral. > 2000 mg/kg (rat) dermal. > 2000 mg/kg(rat) inhal. > 2 mg/kg, 4h (rat)

\_\_\_\_\_

112-34-5 2-(2-butoxyethoxy)ethanol Oral LD50 5660 mg/kg (rat) LD50 4000 mg/kg (rabbit) Dermal 886-50-0 terbutryn Oral LD50 2000 mg/kg (rat) Dermal LD50 >2000 mg/kg (rat) Inhalative LC50/4 h > 2200 mg/l (rat)1310-73-2 sodium hydroxide Oral LD50 2000 mg/kg (rat) 1314-13-2 zinc oxide Oral LD50 > 5000 mg/kg (rat)

-----

Zinc pyrithione (CAS: 13463-41-7)
Oral LD50: 269 mg / kg (rat)
Dermal LD50: < 2000 mg / kg (rat)
Inhalation LC50: < 2000 mg / m3 / 4h (rat)

-----

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

\_\_\_\_\_\_

Terbutryn - CAS 886-50-0

Acute EC50 0.013 mg / L Algae - Selenastrum capricornutum; 168 hours

Acute EC50 2.66 mg / L Daphnia; 48 hours

Acute LC50 1.3 mg / l Fish - Lepomis machrochiris; 96 hours

Acute LC50 1.1 mg/L Fish; 96 hours

Acute LC50> 1000 mg / l Microorganism; 3 hours

Chronic NOEC 1.3 mg / l Daphnia - Daphnia magna; 21 days Chronic NOEC 0.84 mg / l Fish - Fathead minnow; 35 days

Chronic NOEC 0.01 mg / l Fish - Rainbow trout; 21 days

\_\_\_\_\_

2-octyl-2H-isothiazol-3-one (CAS: 26530-20-1)

EC20 / 0.5h - 10.4 mg / l (active sludge)

EC20 / 3h - 7.3 mg / l (active sludge)

\_\_\_\_\_

Zinc pyrithione (CAS: 13463-41-7)

Acute EC50: 0,028 mg/l - Selenastrum capricornutum

(Contd. on page 8)

Printing date 29.01.2018 Revision: 25.01.2018

Trade name: TRENDCOLOR

Acute LC50: 0.082 mg / l - Daphnia magna

(Contd. of page 7)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue		
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	
17 09 03*	other construction and demolition wastes (including mixed wastes) containing hazardous substances	
15 01 02	plastic packaging	

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number	The product TRENDCOLOR is not a substance or mixtur classified in accordance with the provisions of ADR as dangerous for transport.
· ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Anne. Marpol and the IBC Code	x II of Not applicable.
· Transport/Additional information:	

(Contd. on page 9)

Printing date 29.01.2018 Revision: 25.01.2018

Trade name: TRENDCOLOR

(Contd. of page 8)

· UN "Model Regulation":

Void

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Following regulation was considered in the preparation of document:

Legislation on the occupational health and safety, the chemical legislation and regulations on biocidal products, regulations on classification, packaging and labeling of chemical and biocidal products and requirements on safety data sheets for chemicals and biocidal products composition, as well as regulations on the management of packaging and packaging waste and waste.

In accordance with the current regulation the product is classified as a dangerous substance or mixture for the environment. It potentially can cause an allergic reaction.

General safety measures should be considered when working or handling with the product.

- · Labelling according to Regulation (EC) No 1272/2008 -
- · Chemical safety assessment -
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category -
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H301 Toxic if swallowed.

 $H302\ Harmful\ if\ swallowed.$ 

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

### · Recommended restriction of use

Claims contained in this document are based on our actual knowledge at the time of revision of this document. They do not undertake the properties of the product described in terms of the legal provisions for the pledge.

Placing this document as available does not unbind the product customer from its responsibility to comply with all relevant laws and regulations applicable for this product. This is especially valid in the case of product resale or resale of its mixtures or manufactured products from other areas of law and industrial property rights of third parties. If the product described above is changed by crafting or mixing with other materials, it is not possible to transfer claims from this document onto a newly made product, unless otherwise specified. In the case of product re-packaging the customer must attach the required relevant safety information as well.

#### · Department issuing SDS:

JUB d.o.o.

Product safety department

(Contd. on page 10)

Printing date 29.01.2018 Revision: 25.01.2018

Trade name: TRENDCOLOR

(Contd. of page 9)

#### · Contact:

Branko Petrovič, MSci

TRC-JUB

branko.petrovic@jub.eu

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

### · \* Data compared to the previous version altered.

Version 1.0, 27.07.2016.

Version 2.0, 25.08.2017; Amendments to Chapter: 1.,2.,3.,8.,15.,16.

Version 3.0, 25.01.2018; Amendments to Chapter: 1.,2.,3.,8., 11.,12.,13.,15.,16.

GB