

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.01.2017 Revision: 04.03.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: JUBOSILHYDROPHOB

· Article number: JSH

 \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against

The product is a water repellent transparent silicone coat JUBOSILHYDROPHOB (JUBOSIL H), JSH.

· Life cycle stages C Consumer use

· Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU19 Building and construction work

· Product category

PC9a Coatings and paints, thinners, paint removers

JUBOSILHYDROPHOB is a transparent impregnating agent based on oligomeric siloxanes and organic solvents

- · Process category PROC10 Roller application or brushing
- · Environmental release category ERC10a Widespread use of articles with low release (outdoor)
- · Application of the substance / the mixture

JUBOSILHYDROPHOB is used as a basic or additional water repellent protection of all types of mineral decorative renders, mineral façade paints, façade brick, unplastered concrete surfaces, natural and artificial stone, as well as fibre-cement and other façade boards.

It penetrates into the surface well, it does not reduce its water vapour permeability and it does not change its colour or it changes it to the minimum degree. It substantially increases or improves its water repellency and thus efficiently impedes the development of wall algae and mould, it increases its resistance to freezing and reliably protects it against excessive absorption of dirt, desalting, chemical corrosion, etc.

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

JUB d.o.o.

Dol pri Ljubljani 28

1262 DOL PRI LJUBLJANI

SLOVENIA

T: + 386 1 5884 183

F: + 386 1 5884 250

E: info@jub.si

· Further information obtainable from:

TRC JUB

Branko Petrovic, MSc

T: +386 1 5884 185

F: +386 1 5884 227

E: branko.petrovic@jub.eu

· 1.4 Emergency telephone number:

Emergency number: 112

United Kindom: NPIS 0870 600 6266

GB

Printing date 25.01.2017 Revision: 04.03.2014

Trade name: JUBOSILHYDROPHOB

(Contd. of page 1)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

In accordance with Regulations on the classification of chemicals, bounded by the Regulation CLP 2008/1272/EC), the product is classified as a hazardous compound since it contains dissolved siloxane in an organic solvent.

Risks to man: the product is harmful.

Risks to the environment: the product is harmful to aquatic organisms - may cause long-term adverse effects in the aquatic environment.

· Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquatic life.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02

GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

Alkanes, C11-12-iso Alkanes, C11-13-iso

· Hazard statements

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof electrical/ventilating/lighting equipment. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

Safety data sheet available on request.

(Contd. on page 3)

Printing date 25.01.2017 Revision: 04.03.2014

Trade name: JUBOSILHYDROPHOB

(Contd. of page 2)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

The product is a chemical compound of a siloxane solution in an organic solvent.

Main ingredients of JUBOSILHYDROPHOB are siloxane polymeric binders and a compound of hydrocarbons (isoalkanes).

- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| | 3,7 | | |
|---|---------------------|--|--------------|
| E | C number: 918-167-1 | | 40.0 - 45.0% |
| | | ♦ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; Aquatic Chronic 4, H413 | |
| Е | C number: 920-901-0 | Alkanes, C11-13-iso | 38.0 - 42.0% |
| | | 🚸 Flam. Liq. 3, H226; & Asp. Tox. 1, H304 | |
| C | AS: 34396-03-7 | trimethoxy(2,4,4-trimethylpentyl)silane | 7.0 - 10.0% |
| E | INECS: 251-460-6 | 📀 Flam. Liq. 3, H226; Aquatic Chronic 3, H412 | |

· Additional information:

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. In case of gas release or seepage into the ground inform responsible authorities.

(Contd. on page 4)

Printing date 25.01.2017 Revision: 04.03.2014

Trade name: JUBOSILHYDROPHOB

(Contd. of page 3)

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility:

Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.

- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: Storage class: 3B Combustible liquid chemicals
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

Printing date 25.01.2017 Revision: 04.03.2014

Trade name: JUBOSILHYDROPHOB

· Material of gloves

(Contd. of page 4)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Risk management measures

It is recommended to use high-quality work clothing and protective equipment. Use only outfits that meet the following standards:

- Protective gloves that meet the criteria of BS EN 374.
- Protective goggles must comply with standard BS EN 166.
- Protective mask respirator for small dust particles must conform to standard BS EN 149.

| 9.1 Information on basic physical and chemical properties | | |
|---|------------------------------|--|
| General Information | | |
| Appearance: Form: | Fluid | |
| rorm: Colour: | Colourless | |
| Odour: | Characteristic | |
| Odour threshold: | Not determined. | |
| pH-value: | Not determined. | |
| Change in condition | | |
| Melting point/freezing point: | Undetermined. | |
| Initial boiling point and boiling range: | >186 °C | |
| Flash point: | 56 °C | |
| Flammability (solid, gas): | Not applicable. | |
| Ignition temperature: | | |
| Decomposition temperature: | Not determined. | |
| Auto-ignition temperature: | Product is not selfigniting. | |
| Explosive properties: | Not determined. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapour pressure: | Not determined. | |
| Density at 20 °C: | $0.78 \ g/cm^3$ | |
| Relative density | Not determined. | |
| Vapour density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| water: | Partly miscible. | |

(Contd. on page 6)

Printing date 25.01.2017 Revision: 04.03.2014

Trade name: JUBOSILHYDROPHOB

| | (Contd. of page 5) |
|---|---|
| · Partition coefficient: n-octanol/water: | Not determined. |
| · Viscosity: | |
| Dynamic at 20 °C: | 26 mPas |
| Kinematic: | Not determined. |
| · Solvent content: | |
| Organic solvents: | 0.0 % |
| VOC (EC) | 94.80 % |
| | VOC content: max 740 g/L |
| | (the product is a subject to the Directive 2004/42/EC |
| | as a coating of cat. A/h) |
| | EU VOC (kat. A/h) 750 g/l (2010) |
| · 9.2 Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- $\cdot \textbf{10.5 Incompatible materials:} \ \textit{No further relevant information available}.$
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

oral. > 2000 mg/kg (rat) dermal. > 2000 mg/kg(rat) inhal. > 2 mg/kg, 4h (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)

Revision: 04.03.2014 Printing date 25.01.2017

Trade name: JUBOSILHYDROPHOB

(Contd. of page 6)

- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes: Harmful to aquatic organisms
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

| • | European | waste | catal | ogue |
|---|----------|-------|-------|------|
|---|----------|-------|-------|------|

08 01 11* waste paint and varnish containing organic solvents or other hazardous substances

15 01 10* packaging containing residues of or contaminated by hazardous substances

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| 14.1 UN-Number ADR, IMDG, IATA | 1263 UN1263 | |
|---|-----------------------------------|--|
| 14.2 UN proper shipping name ADR IMDG, IATA | 1263 PAINT PAINT | |
| 14.3 Transport hazard class(es) | 3, F1 | |
| ADR | | |
| Class Label | 3 (F1) Flammable liquids. | |
| IMDG, IATA | | |
| Class Label | 3 Flammable liquids. 3 | |
| 14.4 Packing group ADR, IMDG, IATA | PG III III | |
| 14.5 Environmental hazards: Marine pollutant: | No | |
| 14.6 Special precautions for user | Warning: Flammable liquids. 30 | |

Printing date 25.01.2017 Revision: 04.03.2014

Trade name: JUBOSILHYDROPHOB

| | (Contd. of page |
|---|---|
| · Stowage Category | A |
| · 14.7 Transport in bulk according to Annex II o Marpol and the IBC Code | f Not applicable. |
| · Transport/Additional information: | |
| \cdot ADR | |
| · Limited quantities (LQ) | 5L |
| · Excepted quantities (EQ) | Code: E1 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 1000 ml |
| · Transport category | 3 |
| · Tunnel restriction code | D/E |
| · IMDG | |
| · Limited quantities (LQ) | 5L |
| \cdot Excepted quantities (\widetilde{EQ}) | Code: E1 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 1000 ml |
| · UN ''Model Regulation'': | UN 1263 PAINT, 3, III, (Contain: trimethoxy(2,4,4 trimethylpentyl)silane) |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Following regulation was considered in the preparation of document:

Legislation on the occupational health and safety, the chemical legislation and regulations on biocidal products, regulations on classification, packaging and labeling of chemical and biocidal products and requirements on safety data sheets for chemicals and biocidal products composition, as well as regulations on the management of packaging and packaging waste and waste.

In accordance with the current regulation the product is classified as a dangerous substance or mixture. General safety measures should be considered when working or handling with the product.

- · Labelling according to Regulation (EC) No 1272/2008 -
- · Chemical safety assessment -
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

· Recommended restriction of use

Claims contained in this document are based on our actual knowledge at the time of revision of this document. They do not undertake the properties of the product described in terms of the legal provisions for the pledge.

Placing this document as available does not unbind the product customer from its responsibility to comply (Contd. on page 9)

Printing date 25.01.2017 Revision: 04.03.2014

Trade name: JUBOSILHYDROPHOB

(Contd. of page 8)

with all relevant laws and regulations applicable for this product. This is especially valid in the case of product resale or resale of its mixtures or manufactured products from other areas of law and industrial property rights of third parties. If the product described above is changed by crafting or mixing with other materials, it is not possible to transfer claims from this document onto a newly made product, unless otherwise specified. In the case of product re-packaging the customer must attach the required relevant safety information as well.

· Department issuing SDS:

JUB d.o.o.

Product safety department

· Contact:

mag. Branko Petrovič

TRC-JUB

branko.petrovic@jub.eu

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

* Data compared to the previous version altered.

Version 1.0, March 4th, 2014

Version 2.0, February 27, 2015; Amendments to Chapter: 2., 16.

Version 3.0, January 26, 2017; Amendments to Chapter: 1.,2.,15.,16.

GB