

Page 1/8

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.11.2018 Revision: 26.11.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: JUBIZOL Acryl finish XS
- · Article number: 2.000.710
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Life cycle stages

PW Widespread use by professional workers

C Consumer use

· Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU19 Building and construction work

- · Product category PC0 Other
- · Process category PROC19 Manual activities involving hand contact
- Environmental release category ERC10a Widespread use of articles with low release (outdoor)
- · Application of the substance / the mixture Ready-mixed decorative mortar
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

JUB d.o.o.

Dol pri Ljubljani 28

1262 DOL PRI LJUBLJANI

**SLOVENIA** 

T: + 386 1 5884 183

F: + 386 1 5884 250

E: info@jub.si

· Further information obtainable from:

Laura Učakar

T: +386 1 5884 185

F: +386 1 5884 227

E: laura.ucakar@jub.eu

· 1.4 Emergency telephone number:

UK Emergency number: 999

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department.

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

(Contd. on page 2)

Printing date 26.11.2018 Revision: 26.11.2018

Trade name: JUBIZOL Acryl finish XS

(Contd. of page 1)

P102 Keep out of reach of children.

P103 Read label before use.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · Additional information:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

The treated article incorporates biocidal products: 1,2-benzisothiazol-3(2H)-one, Pyrithione zinc, 3-Iodo-2-propynylbutylcarbamate, 2-methyl-2H-isothiazol-3-one, 2-octyl-2H-isothiazol-3-one, terbutryn, a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment Not applicable.
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44	2-(2-butoxyethoxy)ethanol Eye Irrit. 2, H319	>1-≦5%
CAS: 546-93-0	Magnesite substance with a Community workplace exposure limit	>1-≦5%
CAS: 9004-34-6 EINECS: 232-674-9	Cellulose substance with a Community workplace exposure limit	<b>≤</b> 0.5%
CAS: 1310-73-2 EINECS: 215-185-5 Reg.nr.: 01-2119457892-27	sodium hydroxide  Met. Corr. 1, H290; Skin Corr. 1A, H314	<i>≤</i> 0.1%
CAS: 886-50-0 EINECS: 212-950-5	terbutryn  Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100)  Acute Tox. 4, H302; Skin Sens. 1, H317	≤0.05(0.005)%
CAS: 13463-41-7 EINECS: 236-671-3	Pyrithione zinc  Acute Tox. 3, H301; Acute Tox. 3, H331  Eye Dam. 1, H318  Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=10)	<b>≤</b> 0.1(0.005)%

#### · Additional information:

Classification and labelling of the product is prepared in accordance with the instructions of the supplier of biocidal active ingredients or biocide products.

The technology of protection active ingredients (AMME - Advanced Micro Matrix Embedding) allows changing of the classification of chemicals and this resulting in different labelling of products containing processed substances.

The total content and the content of free 2-octyl-2H-isothiazol-3-one (OIT) are indicated. Only the content of free OIT is toxicological relevant and is subject to the classification of this mixture regarding the following properties: environmental hazardous properties, skin and eye irritation, sensitisation.

The total content and the content of free zinc pyrithione (ZnPy) are indicated. Only the content of free ZnPy is toxicological relevant and is subject to the classification of this mixture regarding the following properties: environmental hazardous properties, skin and eye irritation. The total content and the content of free terbutryn are indicated. Only the content of free terbutryn is toxicological relevant and is subject to the classification of this mixture regarding the following properties: environmental hazardous properties, sensitisation.

(Contd. on page 3)

Printing date 26.11.2018 Revision: 26.11.2018

Trade name: JUBIZOL Acryl finish XS

(Contd. of page 2)

For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **SECTION 5: Firefighting measures**

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions:

In case of gas release or seepage into the ground inform responsible authorities.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility:

Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Printing date 26.11.2018 Revision: 26.11.2018

Trade name: JUBIZOL Acryl finish XS

(Contd. of page 3)

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:	
CAS: 112-34-5 2-(2-butoxyethoxy)ethanol	
WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm	
CAS: 546-93-0 Magnesite	
WEL Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust	
CAS: 9004-34-6 Cellulose	
WEL Short-term value: 20* mg/m³ Long-term value: 10* 4** mg/m³ *inhalable dust **respirable	
CAS: 1310-73-2 sodium hydroxide	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:

WEL Short-term value: 2 mg/m<sup>3</sup>

- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Tightly sealed goggles

Goggles recommended during refilling

· Risk management measures

It is recommended to use high-quality work clothing and protective equipment. Use only outfits that meet the following standards:

- Protective gloves that meet the criteria of BS EN 374.
- Protective goggles must comply with standard BS EN 166.
- Protective mask respirator for fine dust particles and vapors should be in accordance with BS EN 143 (full face masks).

### SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Pasty

Colour: Different according to colouring

· Odour: Mild

· *Odour threshold:* Not determined.

(Contd. on page 5)

Printing date 26.11.2018 Revision: 26.11.2018

Trade name: JUBIZOL Acryl finish XS

	(Contd. of page
· pH-value at 20 °C:	9-10.5
· Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined. : 100°C
· Flash point:	98 °C
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapour pressure:	Not determined.
<ul> <li>Density at 20 °C:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	1.7-1.9 g/cm³ Not determined. Not determined. Not determined.
· Solubility in / Miscibility with water:	Not determined.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
· Solvent content:	
Organic solvents: Water:	≤1.7 % 8.0 %
Solids content: 9.2 Other information	81-87 % No further relevant information available.

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Inhalative LC50/4 h > 361.05-449.06 mg/l (rat)

(Contd. on page 6)

Printing date 26.11.2018 Revision: 26.11.2018

Trade name: JUBIZOL Acryl finish XS

		(Contd. of page 5
CAS: 112-	34-5 2-(2-1	butoxyethoxy)ethanol
Oral	LD50	5,660 mg/kg (rat)
Dermal	LD50	4,000 mg/kg (rabbit)
CAS: 1310	)-73-2 sodi	um hydroxide
Oral	LD50	2,000 mg/kg (rat)
CAS: 886-	50-0 terbu	tryn
Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	>2,200 mg/l (rat)
CAS: 1346	3-41-7 Py	rithione zinc
Oral	LD50	269 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
		>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>2,000 mg/l (rabbit)
. Primary ir		-4-

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity	y:
CAS: 1310-73-	2 sodium hydroxide
LC50/ 96 h	45 mg/l (/)
CAS: 886-50-0	terbutryn
LC50/ 96 h	1.3 mg/l (/)
EC50/48 h	2.66 mg/l (daphnia)
EC50/ 168 h	0.013 mg/l (/)
NOEC / 21 dni	0.01 mg/l (/)
	1.3 mg/l (daphnia)
NOEC / 35 dni	0.84 mg/l (/)
CAS: 13463-41	-7 Pyrithione zinc
LC50	0.028 mg/l (daphnia)
EC50/48 h	0.05 mg/l (daphnia)
EC50/72 h	0.067 mg/l (/)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 7)

Printing date 26.11.2018 Revision: 26.11.2018

Trade name: JUBIZOL Acryl finish XS

(Contd. of page 6)

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

· European waste catalogue

15 01 02 plastic packaging

- · Uncleaned packaging:
- · Recommendation: Dispose of packaging according to regulations on the disposal of packagings.

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.	
· UN "Model Regulation":	Void	

### SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Following regulation was considered in the preparation of document:

Legislation on the occupational health and safety, the chemical legislation and regulations on biocidal products, regulations on classification, packaging and labeling of chemical and biocidal products and requirements on safety data sheets for chemicals and biocidal products composition, as well as regulations on the management of packaging and packaging waste and waste.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 26.11.2018 Revision: 26.11.2018

Trade name: JUBIZOL Acryl finish XS

(Contd. of page 7)

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H290 May be corrosive to metals.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### · Recommended restriction of use

Claims contained in this document are based on our actual knowledge at the time of revision of this document. They do not undertake the properties of the product described in terms of the legal provisions for the pledge.

Placing this document as available does not unbind the product customer from its responsibility to comply with all relevant laws and regulations applicable for this product. This is especially valid in the case of product resale or resale of its mixtures or manufactured products from other areas of law and industrial property rights of third parties. If the product described above is changed by crafting or mixing with other materials, it is not possible to transfer claims from this document onto a newly made product, unless otherwise specified. In the case of product re-packaging the customer must attach the required relevant safety information as well.

#### · Department issuing SDS:

JUB d.o.o.

Product safety department

#### · Contact:

Laura Učakar

laura.ucakar@jub.eu

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

 $Aquatic\ Acute\ 1: Hazardous\ to\ the\ aquatic\ environment\ -\ acute\ aquatic\ hazard\ -\ Category\ 1$ 

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

#### \* Data compared to the previous version altered.