



Printing date 06.10.2015 Revision: 27.02.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: <u>JUBOSAN W110</u>

· Article number: JOB ver. 11

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

Cement product JUBOSAN W110, JOB.

- · Product category JUBOSAN W110 is a cement product renovation precoat WTA.
- $\cdot \textit{Application of the substance / the mixture}$

JUBOSAN W110 renovation precoat is industrially prepared mortar mixture based on cement, organic supplements and special mineral fillers.

JUBOSAN W110 has the function of a precoat before JUBOSAN W120 renovation base coat is applied; in combination with JUBOSAN W120 renovation base coat and JUBOSAN W130 renovation render, it forms the 3K WTA system for the renovation of damp walls, which complies with requirements; in combination with JUBOSAN W130 renovation render, it forms the 2K system for the renovation of damp walls.

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

 $JUB \stackrel{\circ}{d}.o.o.$

Dol pri Ljubljani 28

1262 DOL PRI LJUBLJANI

SLOVENIA

T: + 386 1 5884 183

F: + 386 1 5884 250

E: info@jub.si

· Further information obtainable from:

Product safety department:

TRC JUB d.o.o.

Branko Petrovic, MSc

T: +386 1 5884 185

F: +386 1 5884 227

E: branko.petrovic@trc-jub.si

· 1.4 Emergency telephone number:

During normal opening times (8 - 16h CET) Group JUB: +386 1 5884 185

Emergency number: 112

United Kindom: NPIS 0870 600 6266

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

In accordance with Regulations on the classification of chemicals (Rules on classification and mainly directives EU 1967/548/EEC and 1999/45/EC, neither bound by the Regulation CLP 2008/1272/EC), the product is classified as a hazardous compound since it contains lime and cement.

· Classification according to Regulation (EC) No 1272/2008



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

(Contd. on page 2)

Printing date 06.10.2015 Revision: 27.02.2014

Trade name: JUBOSAN W110

(Contd. of page 1)



Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

×

Xi; Irritant

R37/38-41: Irritating to respiratory system and skin. Risk of serious damage to eyes.



Xi; Sensitising

R43: May cause sensitisation by skin contact.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05 GHS07

· Signal word Danger

· Hazard-determining components of labelling:

Cement, portland, chemicals

calcium dihydroxide

· Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

HE IN EVEC D:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

P310 Immediately call a POISO! P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

(Contd. on page 3)

Printing date 06.10.2015 Revision: 27.02.2014

Trade name: JUBOSAN W110

· vPvB: Not applicable.

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

Main ingredients of JUBOSAN W110 are cement, lime, calcite- and silicate sands and supplements.

· Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous components: | | |
|-------------------------|---|--------------|
| | Cement, portland, chemicals | 20.0 - 30.0% |
| EINECS: 266-043-4 | 🗙 Xi R37/38-41; 🗙 Xi R43 | |
| | Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335 | |
| CAS: 1305-62-0 | calcium dihydroxide | < 10.0% |
| EINECS: 215-137-3 | | |
| | 📀 Eye Dam. 1, H318; 🕦 Skin Irrit. 2, H315; STOT SE 3, H335 | |
| CAS: 544-17-2 | calcium diformate | < 0.5% |
| EINECS: 208-863-7 | 🗙 Xi R36 | |
| | 💠 Eye Irrit. 2, H319 | |

Additional information:

.....**y**

For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Printing date 06.10.2015 Revision: 27.02.2014

Trade name: JUBOSAN W110

See Section 13 for disposal information.

(Contd. of page 3)

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility:

Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.

- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: Storage class: 13 Incombustible solid products
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

65997-15-1 Cement, portland, chemicals

WEL Long-term value: 10* 4** mg/m³
*inhalable dust **respirable dust

1305-62-0 calcium dihydroxide

WEL Long-term value: 5 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Printing date 06.10.2015 Revision: 27.02.2014

Trade name: JUBOSAN W110

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Risk management measures

It is recommended to use high-quality work clothing and protective equipment. Use only outfits that meet the following standards:

- Protective gloves that meet the criteria of BS EN 388 (Category II).
- Protective goggles must comply with standard BS EN 166
- Protective mask respirator for small dust particles must conform to standard BS EN 149.

| General Information Appearance: | |
|---------------------------------------|---|
| | |
| E | Powder |
| Form: Colour: | Whitish |
| Colour: Odour: | wnusn Odourless |
| Odour threshold: | Not determined. |
| pH-value at 20 °C: | 11.5 |
| Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | Undetermined. |
| Flash point: | Not applicable. |
| Flammability (solid, gaseous): | Not determined. |
| Ignition temperature: | |
| Decomposition temperature: | Not determined. |
| Self-igniting: | Product is not selfigniting. |
| Danger of explosion: | Product does not present an explosion hazard. |
| Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Vapour pressure: | Not applicable. |
| Density at 20 °C: | $1.4 \ g/cm^3$ |
| Relative density | Not determined. |
| Vapour density | Not applicable. |
| Evaporation rate | Not applicable. |
| Solubility in / Miscibility with | |
| water: | Insoluble. |
| Partition coefficient (n-octanol/wate | e r): Not determined. |
| Viscosity: | |
| Dynamic: Kinematic: | Not applicable. Not applicable. |

(Contd. on page 6)

Printing date 06.10.2015 Revision: 27.02.2014

Trade name: JUBOSAN W110

(Contd. of page 5)

· Solvent content:
Organic solvents:
VOC (EC)
0.0 %
0.00 %

VOC content: not specified

(the product is not subject to the Directive 2004/42/CE)

Solids content: 100.0 %

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification:

oral. $> 2000 \, mg/kg \, (rat)$

 $dermal. > 2000 \, mg/kg(rat)$

inhal. > 2 mg/kg, 4h (rat)

1305-62-0 calcium dihydroxide

Oral LD50 7340 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)

Printing date 06.10.2015 Revision: 27.02.2014

Trade name: JUBOSAN W110

(Contd. of page 6)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

| · European waste catalogue | | |
|----------------------------|---|--|
| 17 09 04 | mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and | |
| | 17 09 03 | |
| 15 01 01 | paper and cardboard packaging | |

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| 14.1 UN-Number | JUBOSAN W110 is not classified as a substance o compound which would be dangerous for transport is accordance with provisions of transport regulation. |
|--|--|
| ADR, ADN, IMDG, IATA | Void |
| 14.2 UN proper shipping name ADR, ADN, IMDG, IATA | Void |
| 14.3 Transport hazard class(es) | |
| ADR | |
| Class | - (-) |
| ADN/R Class: | Void |
| 14.4 Packing group | |
| ADR, IMDG, IATA | Void |
| 14.5 Environmental hazards: | |
| Marine pollutant: | No |
| 14.6 Special precautions for user | Not applicable. |
| 14.7 Transport in bulk according to Ann Marpol and the IBC Code | ex II of Not applicable. |
| Transport/Additional information: | approduce. |
| ADR | |

(Contd. on page 8)

Printing date 06.10.2015 Revision: 27.02.2014

Trade name: JUBOSAN W110

(Contd. of page 7)

· UN "Model Regulation":

UN-, -

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
In the preparation of the document, the following regulations have been taken account of:
legislation on health protection at work, chemical legislation and regulation on biocidal products, rules on
classification, packaging and labelling chemical and biocidal products and on safety data sheets for
chemicals and biocidal products, as well as regulations on the management of packaging, packaging waste
and waste.

In accordance with the current chemical legislation, the product is classified as a hazardous substance or compound because it contains cement. When working with and handling the product, only general precautionary measures need to be followed.

Respiratory protection with a protective mask and eye protection with protective glasses or a face shield is necessary when the compound is applied manually or in the case of machine polishing of the applied compound.

- · Labelling according to Regulation (EC) No 1272/2008 -
- · Chemical safety assessment -
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Relevant phrases
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- R36 Irritating to eyes.
- R37/38 Irritating to respiratory system and skin.
- R38 Irritating to skin.
- R41 Risk of serious damage to eyes.
- R43 May cause sensitisation by skin contact.
- · Recommended restriction of use

Claims contained in this document are based on our actual knowledge at the time of revision of this document. They do not undertake the properties of the product described in terms of the legal provisions for the pledge.

Placing this document as available does not unbind the product customer from its responsibility to comply with all relevant laws and regulations applicable for this product. This is especially valid in the case of product resale or resale of its mixtures or manufactured products from other areas of law and industrial property rights of third parties. If the product described above is changed by crafting or mixing with other materials, it is not possible to transfer claims from this document onto a newly made product, unless otherwise specified. In the case of product re-packaging the customer must attach the required relevant safety information as well.

- · Department issuing MSDS: Product safety department
- · Contact:

mag. Branko Petrovič

TRC-JUB d.o.o

branko.petrovic@trc-jub.si

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)

(Contd. of page 8)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.10.2015 Revision: 27.02.2014

Trade name: JUBOSAN W110

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

* * Data compared to the previous version altered.

Version 1.0, 10.07.2013.

Version 2.0, 1.07.2015; Amending Chapter: 2., 3., 11., 15.,16.

CD